

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AbB: Albrights-----	95	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
AbC2: Albrights-----	95	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
AgD: Albrights-----	95	Moderately suited Rock fragments	0.50	Moderately suited Rock fragments Slope	0.50 0.50	Moderately suited Strength	0.50
AhA: Allegheny-----	100	Well suited		Well suited		Moderately suited Strength	0.50
AhB2: Allegheny-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
AhC2: Allegheny-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
AlA: Allegheny-----	100	Well suited		Well suited		Moderately suited Strength	0.50
AlB2: Allegheny-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
AlC2: Allegheny-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
AlD: Allegheny-----	100	Well suited		Poorly suited Slope	0.75	Moderately suited Strength Slope	0.50 0.50
AnB: Allegheny-----	50	Well suited		Well suited		Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AnC: Allegheny-----	50	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Au: Alluvial Land-----	100	Not rated		Not rated		Not rated	
Av: Alluvial Land-----	50	Not rated		Not rated		Not rated	
Urban Land-----	30	Not rated		Not rated		Not rated	
Aw: Atkins-----	100	Well suited		Well suited		Moderately suited Strength	0.50
BeE: Belmont-----	100	Moderately suited Slope Rock fragments	0.50 0.50	Unsuited Slope Rock fragments	1.00 0.75	Moderately suited Slope Strength	0.50 0.50
BkC3: Brooke-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope Rock fragments	0.50 0.50 0.50	Moderately suited Strength	0.50
BuB2: Buchanan-----	95	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
BuC2: Buchanan-----	95	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
BvC: Buchanan-----	95	Moderately suited Rock fragments	0.50	Moderately suited Rock fragments Slope	0.50 0.50	Moderately suited Strength	0.50
BvD: Buchanan-----	95	Moderately suited Rock fragments	0.50	Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
CaB: Calvin-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CaC: Calvin-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
ClB2: Calvin-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
ClC2: Calvin-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
ClD2: Calvin-----	100	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
ClE: Calvin-----	100	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50
CnB2: Calvin-----	50	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
Weikert-----	30	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Well suited	
CnC2: Calvin-----	50	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
Weikert-----	30	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Well suited	
CnD2: Calvin-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Weikert-----	30	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Slope	0.50
CnE: Calvin-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Weikert-----	30	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope	1.00
CoB2: Cavode-----	95	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
CoC2: Cavode-----	95	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
CrD: Cavode-----	95	Moderately suited Rock fragments	0.50	Moderately suited Rock fragments Slope	0.50 0.50	Moderately suited Strength	0.50
CsA: Chavies-----	100	Well suited		Well suited		Moderately suited Strength	0.50
CsB: Chavies-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
CtB2: Cookport-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
CtC2: Cookport-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
CuB: Cookport-----	100	Moderately suited Rock fragments	0.50	Moderately suited Rock fragments Slope	0.50 0.50	Moderately suited Strength	0.50
CuD: Cookport-----	100	Moderately suited Rock fragments	0.50	Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Cv: Cut And Fill Land---	100	Not rated		Not rated		Not rated	
DeB2: Dekalb-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DeC2: Dekalb-----	100	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength	0.50
DeD: Dekalb-----	100	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope Strength	0.50 0.50
DkB: Dekalb-----	100	Moderately suited Rock fragments	0.50	Moderately suited Rock fragments Slope	0.50 0.50	Moderately suited Strength	0.50
DkC: Dekalb-----	100	Moderately suited Rock fragments	0.50	Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength	0.50
DlE: Dekalb-----	50	Moderately suited Slope Rock fragments	0.50 0.50	Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope Strength	0.50 0.50
Lehew-----	50	Moderately suited Slope Rock fragments	0.50 0.50	Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope Strength	0.50 0.50
DlF: Dekalb-----	50	Moderately suited Slope Rock fragments	0.50 0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50
Lehew-----	50	Moderately suited Slope Rock fragments	0.50 0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50
EdB2: Edom-----	100	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness Rock fragments	0.50 0.50 0.50	Moderately suited Strength	0.50
EdC2: Edom-----	100	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness Rock fragments	0.50 0.50 0.50	Moderately suited Strength	0.50
EdD2: Edom-----	50	Moderately suited Stickiness	0.50	Poorly suited Slope Stickiness Rock fragments	0.75 0.50 0.50	Moderately suited Strength Slope	0.50 0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Edom-----	50	Moderately suited Stickiness	0.50	Poorly suited Slope Stickiness Rock fragments	0.75 0.50 0.50	Moderately suited Strength Slope	0.50 0.50
EdE2: Edom-----	50	Moderately suited Slope Stickiness	0.50 0.50	Unsuited Slope Stickiness Rock fragments	1.00 0.50 0.50	Moderately suited Slope Strength	0.50 0.50
Edom-----	50	Moderately suited Slope Stickiness	0.50 0.50	Unsuited Slope Stickiness Rock fragments	1.00 0.50 0.50	Moderately suited Slope Strength	0.50 0.50
EeE3: Edom-----	50	Moderately suited Slope Stickiness	0.50 0.50	Unsuited Slope Stickiness Rock fragments	1.00 0.50 0.50	Moderately suited Slope Strength	0.50 0.50
Edom-----	50	Moderately suited Slope Stickiness	0.50 0.50	Unsuited Slope Stickiness Rock fragments	1.00 0.50 0.50	Moderately suited Slope Strength	0.50 0.50
ElA: Elliber-----	100	Well suited		Moderately suited Rock fragments	0.50	Well suited	
ElB2: Elliber-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Well suited	
ElC2: Elliber-----	100	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Well suited	
ElD: Elliber-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope	0.50
Elliber-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope	0.50
EmC: Elliber-----	100	Moderately suited Rock fragments	0.50	Moderately suited Rock fragments Slope	0.50 0.50	Well suited	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EmD: Elliber-----	50	Moderately suited Slope Rock fragments	0.50 0.50	Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope	0.50
Elliber-----	50	Moderately suited Slope Rock fragments	0.50 0.50	Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope	0.50
EmF: Elliber-----	50	Moderately suited Slope Rock fragments	0.50 0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope	1.00
Elliber-----	50	Moderately suited Slope Rock fragments	0.50 0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope	1.00
ErA: Ernest-----	100	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
ErB2: Ernest-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
ErC2: Ernest-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
ErD2: Ernest-----	100	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
EuB: Ernest-----	30	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
Landisburg-----	30	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
Urban Land-----	20	Not rated		Not rated		Not rated	
EuD: Ernest-----	30	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength	0.50
Landisburg-----	30	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	20	Not rated		Not rated		Not rated	
G1B2: Gilpin-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
G1C2: Gilpin-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
G1D2: Gilpin-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Gilpin-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
GnB2: Gilpin-----	100	Well suited		Moderately suited Rock fragments Slope	0.50 0.50	Moderately suited Strength	0.50
GnC2: Gilpin-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
GnD2: Gilpin-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Gilpin-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
GnE: Gilpin-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50
Gilpin-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50
GsB: Gilpin-----	100	Moderately suited Rock fragments	0.50	Moderately suited Rock fragments Slope	0.50 0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GsD: Gilpin-----	50	Moderately suited Rock fragments	0.50	Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Gilpin-----	50	Moderately suited Rock fragments	0.50	Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
GuB: Gilpin-----	50	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
GuD: Gilpin-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Urban Land-----	50	Not rated		Not rated		Not rated	
GwF: Gilpin-----	50	Moderately suited Slope Rock fragments	0.50 0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50
Weikert-----	50	Moderately suited Slope Rock fragments	0.50 0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope	1.00
Gx: Gravel Pits-----	100	Not rated		Not rated		Not rated	
HeC2: Hagerstown-----	100	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness Rock fragments	0.50 0.50 0.50	Moderately suited Strength	0.50
HeE2: Hagerstown-----	100	Moderately suited Stickiness	0.50	Unsuited Slope Stickiness Rock fragments	1.00 0.50 0.50	Moderately suited Slope Strength	0.50 0.50
Hn: Huntington-----	100	Well suited		Well suited		Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HxA: Huntington-----	100	Well suited		Well suited		Moderately suited Strength	0.50
HxB: Huntington-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
HxC: Huntington-----	100	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
LaB2: Laidig-----	100	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
LaC2: Laidig-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
LaD2: Laidig-----	100	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
LbC: Laidig-----	100	Moderately suited Rock fragments	0.50	Moderately suited Rock fragments Slope	0.50 0.50	Moderately suited Strength	0.50
LbD: Laidig-----	100	Moderately suited Rock fragments	0.50	Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
LdA: Landisburg-----	100	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
LdB2: Landisburg-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
LdC2: Landisburg-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
LdD2: Landisburg-----	100	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LgD: Leetonia-----	100	Moderately suited Sandiness Rock fragments	0.50 0.50	Moderately suited Rock fragments Slope Sandiness	0.50 0.50 0.50	Moderately suited Sandiness	0.50
LhB2: Lehew-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
LhC2: Lehew-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
LhE: Lehew-----	50	Well suited		Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope Strength	0.50 0.50
Lehew-----	50	Well suited		Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope Strength	0.50 0.50
LlB: Lehew-----	100	Moderately suited Rock fragments	0.50	Moderately suited Rock fragments Slope	0.50 0.50	Moderately suited Strength	0.50
LlD: Lehew-----	50	Moderately suited Rock fragments	0.50	Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Lehew-----	50	Moderately suited Rock fragments	0.50	Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Lm: Lickdale-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Ln: Lindside-----	95	Well suited		Well suited		Moderately suited Strength	0.50
LsB2: Litz-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
LsC2: Litz-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LsD2: Litz-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Litz-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
LsE: Litz-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50
Litz-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50
LyB: Loysville-----	100	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
McB2: Meckesville-----	100	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
McC2: Meckesville-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
McD2: Meckesville-----	100	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
MdC: Meckesville-----	100	Moderately suited Rock fragments	0.50	Moderately suited Rock fragments Slope	0.50 0.50	Moderately suited Strength	0.50
MdD: Meckesville-----	100	Moderately suited Rock fragments	0.50	Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Me: Melvin-----	100	Well suited		Well suited		Moderately suited Strength	0.50
MhA: Monongahela-----	95	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
MhB2: Monongahela-----	95	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MhC2: Monongahela-----	95	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
NoA: Nolo-----	100	Well suited		Moderately suited Rock fragments	0.50	Moderately suited Strength	0.50
NoB: Nolo-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
NoC2: Nolo-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
NsC: Nolo-----	100	Moderately suited Rock fragments	0.50	Moderately suited Rock fragments Slope	0.50 0.50	Moderately suited Strength	0.50
OpB2: Opequon-----	100	Moderately suited Stickiness	0.50	Moderately suited Stickiness Slope Rock fragments	0.50 0.50 0.50	Moderately suited Strength	0.50
OpC2: Opequon-----	100	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness Rock fragments	0.50 0.50 0.50	Moderately suited Strength	0.50
OpD2: Opequon-----	50	Moderately suited Stickiness	0.50	Poorly suited Slope Stickiness Rock fragments	0.75 0.50 0.50	Moderately suited Strength Slope	0.50 0.50
Opequon-----	50	Moderately suited Stickiness	0.50	Poorly suited Slope Stickiness Rock fragments	0.75 0.50 0.50	Moderately suited Strength Slope	0.50 0.50
OpE2: Opequon-----	50	Moderately suited Stickiness Slope	0.50 0.50	Unsuited Slope Stickiness Rock fragments	1.00 0.50 0.50	Moderately suited Slope Strength	0.50 0.50
Opequon-----	50	Moderately suited Stickiness Slope	0.50 0.50	Unsuited Slope Stickiness Rock fragments	1.00 0.50 0.50	Moderately suited Slope Strength	0.50 0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
OuD: Opequon-----	100	Moderately suited Stickiness	0.50	Moderately suited Slope Stickiness Rock fragments	0.50 0.50 0.50	Moderately suited Strength	0.50
OuE: Opequon-----	50	Moderately suited Stickiness Slope	0.50 0.50	Unsuited Slope Stickiness Rock fragments	1.00 0.50 0.50	Poorly suited Slope Strength	1.00 0.50
Opequon-----	50	Moderately suited Stickiness Slope	0.50 0.50	Unsuited Slope Stickiness Rock fragments	1.00 0.50 0.50	Poorly suited Slope Strength	1.00 0.50
Ph: Philo-----	95	Well suited		Well suited		Moderately suited Strength	0.50
Pn: Pope-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Ps: Pope-----	100	Well suited		Well suited		Moderately suited Strength	0.50
RbB: Robertsville-----	100	Well suited		Well suited		Moderately suited Strength	0.50
Rc: Rock Outcrop-----	100	Not rated		Not rated		Not rated	
ShB2: Shelocta-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
ShC2: Shelocta-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
ShD2: Shelocta-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Shelocta-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
SrC: Stony Land-----	50	Not rated		Not rated		Not rated	
Stony Land-----	50	Not rated		Not rated		Not rated	
SrF: Stony Land-----	100	Not rated		Not rated		Not rated	
St: Strip Mines And Dump	95	Not rated		Not rated		Not rated	
TyA: Tyler-----	95	Well suited		Well suited		Moderately suited Strength	0.50
TyB: Tyler-----	95	Well suited		Moderately suited Slope	0.50	Moderately suited Strength	0.50
W: Water-----	100	Unsuited Horizon table contains no data	1.00	Unsuited Horizon table contains no data	1.00	Poorly suited Horizon table contains no data	1.00
WeB2: Weikert-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Well suited	
WeC2: Weikert-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Well suited	
WeE: Weikert-----	50	Well suited		Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope	0.50
Weikert-----	50	Well suited		Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope	0.50
WkD: Weikert-----	50	Moderately suited Rock fragments	0.50	Poorly suited Rock fragments Slope	0.75 0.50	Well suited	

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Weikert-----	50	Moderately suited Rock fragments	0.50	Poorly suited Rock fragments Slope	0.75 0.50	Well suited	
WlB: Weikert-----	50	Well suited		Moderately suited Rock fragments Slope	0.50 0.50	Well suited	
Urban Land-----	30	Not rated		Not rated		Not rated	
WlC: Weikert-----	50	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Well suited	
Urban Land-----	30	Not rated		Not rated		Not rated	
WlE: Weikert-----	50	Well suited		Unsuited Slope Rock fragments	1.00 0.50	Moderately suited Slope	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
WnF: Gilpin-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50
Weikert-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope	1.00
WsB2: Westmoreland-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
WsC2: Westmoreland-----	100	Well suited		Moderately suited Slope Rock fragments	0.50 0.50	Moderately suited Strength	0.50
WsD2: Westmoreland-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50
Westmoreland-----	50	Well suited		Poorly suited Slope Rock fragments	0.75 0.50	Moderately suited Strength Slope	0.50 0.50

Table FOR-3.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Suitability for hand planting		Suitability for mechanical planting		Suitability for use of harvesting equipment	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WsE: Westmoreland-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50
Westmoreland-----	50	Moderately suited Slope	0.50	Unsuited Slope Rock fragments	1.00 0.50	Poorly suited Slope Strength	1.00 0.50

